Authors, Titles, and Subjects in the *Marine Fisheries Review* 62(1–4)

A

"Abundance of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska, 1994–2000," by Roderick C. Hobbs, David J. Rugh, and Douglas P. DeMaster, 3:37–45

Acanthacybium solanderi—see Wahoo

"An accounting of the sources of Steller sea lion, *Eumetopias jubatus*, mortality," by Thomas R. Loughlin and Anne E. York, 4:40–45

Adams, Charles M.—see Larkin et al.

Ahrenholz, Dean W.—see Smith and Ahrenholz

Alaska Marine Mammal Tissue Archival Project, 3:82

Anchovy, northern
- distribution, 4:25–26
- fishery, 4:26
- management, 4:27
- stock status, 4:26–27

"The ancillary harvest of Atlantic menhaden, *Brevoortia tyrannus*, roe on the North Carolina coast," by Joseph W. Smith and Dean W. Ahrenholz, 1:1–7

"Application of suction-cup-attached VHF transmitters to the study of beluga, *Delphinapterus leucas*, surfacing behavior in Cook Inlet, Alaska," by James A. Lerczak, Kim E. W. Shelden, and Roderick C. Hobbs, 3:99–111

Atheresthes stomias—see Flounder, arrowtooth

Atlantic pelagic longline fleet, 1996
- comparison of median net returns by
  - number of sets, 2:58
  - swordfish revenues, 2:59
  - trip type, 2:57
- estimated gross revenue, 1996, 2:52
- sample trips characteristics by
  - joint subgroups, 2:56–57
  - number of sets, 2:55
  - population, 2:53
  - quarter, 2:55
  - region, 2:55
  - subgroup, 2:54–56
  - vessel length, 2:54

Atlantic Tunas Convention Act, 2:49

Ayres, W. O.
- *Sebastes* taxonomy/systematics, 2:1–3

B

Bahnick, Melissa—see Grace et al.

Baraff, Lisa S., and Thomas R. Loughlin, "Trends and potential interactions between pinnipeds and fisheries of New England and the U.S. west coast," 4:1–39

Barracuda, great
- Biscayne National Park landings, 1:10–25

Bass, black sea
- Middle Atlantic Bight reef habitat, 2:24, 29

Becker, Paul R., Margaret M. Krahn, Elizabeth A. Mackey, Rabia Demiralp, Michele M. Schantz, Michael S. Epstein, Mary Kate Donais, Barbara J. Porter, Derek C. G. Muir, and Stephen A. Wise, "Concentrations of polychlorinated biphenyls (PCB's), Chlorinated pesticides, and heavy metals and other elements in tissues of belugas, *Delphinapterus leucas*, from Cook Inlet, Alaska," 3:81–98

"Beluga, *Delphinapterus leucas*, distribution and survey effort in the Gulf of Alaska," by Kristin L. Laidre, Kim E. W. Shelden, David J. Rugh, and Douglas P. DeMaster, 3:27–36

"Beluga, *Delphinapterus leucas*, group sizes in Cook Inlet, Alaska, based on observer counts and aerial video," by Roderick C. Hobbs, Janice M. Waite, and David J. Rugh, 3:46–59

"Beluga, *Delphinapterus leucas*, habitat associations in Cook Inlet, Alaska," by Sue E. Moore, Kim E. W. Shelden, Laura K. Litzky, Barbara A. Mahoney, and David J. Rugh, 3:60–80

Belugas, Cook Inlet, Alaska
- aerial distribution/abundance surveys, 3:6–21, 37–59
  - abundance estimates, 3:39–42
  - coastal surveys, 3:8
  - correction for missed groups, 3:39
  - counts, 3:10, 47
  - group sizes, 3:11–12
  - observer counts, 3:47
  - off-shore transects, 3:8
  - seasonal distribution change, 3:13–17
  - sighting locations, 3:10–11, 17, 20
  - study area, 3:7–8
  - protocol, 3:8, 37–38, 43
  - tides, 3:8
  - video, use of, 3:46–59
- at-sea distribution surveys, 3:22–26
  - area, 3:22
  - protocols, 3:23
  - results, 3:23–24
  - vessels used, 3:23
- calving and nursery areas, 3:138
- commercial whaling, 3:126–127
- contaminants tissue study, 3:81–98
- feeding behavior, 3:137, 139
- habitat associations
  - aircraft overflights, 3:75
  - bathymetry, 3:61–62, 63
  - currents, 3:3:64
  - earthquakes, 3:65
  - fires, 3:65
  - fishing, 3:72–73
  - human, 3:138
  - gas/oil activities, 3:73–74
  - ice cover, 3:65–68
  - predators, 3:69, 137
  - prey species/availability, 3:68–69, 70
  - salinity, 3:62, 64
  - strandings, 3:69–71
  - substrate, 3:62
  - temperature, 3:63
  - tides, 3:63–64
  - turbidity, 3:62
  - vessel traffic, 3:74–75
  - volcanoes, 3:64–65
  - water quality, 3:75–78
- harvest
  - legislation, 3:130–132
  - monitoring, 3:130–132
- historical sightings, 3:24–25
- natural history, 3:137–139
- sport hunting, 3:127–129
- subsistence
  - food, 3:82, 96, 129–130
  - hunting, 3:124–126, 129–130
- surfacing behavior, 3:99–111
- tagging
  - satellite tagging protocol, 3:112–123
  - suction-cup-attached VHF transmitters, 3:99–111
- traditional knowledge
  - abundance, 3:135–136
  - distribution, 3:135–136
  - migration, 3:136–137

Authors, Titles, and Subjects in the *Marine Fisheries Review* 62(1–4)

A

"Abundance of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska, 1994–2000," by Roderick C. Hobbs, David J. Rugh, and Douglas P. DeMaster, 3:37–45

Acanthacybium solanderi—see Wahoo

"An accounting of the sources of Steller sea lion, *Eumetopias jubatus*, mortality," by Thomas R. Loughlin and Anne E. York, 4:40–45

Adams, Charles M.—see Larkin et al.

Ahrenholz, Dean W.—see Smith and Ahrenholz

Alaska Marine Mammal Tissue Archival Project, 3:82

Anchovy, northern
- distribution, 4:25–26
- fishery, 4:26
- management, 4:27
- stock status, 4:26–27

"The ancillary harvest of Atlantic menhaden, *Brevoortia tyrannus*, roe on the North Carolina coast," by Joseph W. Smith and Dean W. Ahrenholz, 1:1–7

"Application of suction-cup-attached VHF transmitters to the study of beluga, *Delphinapterus leucas*, surfacing behavior in Cook Inlet, Alaska," by James A. Lerczak, Kim E. W. Shelden, and Roderick C. Hobbs, 3:99–111

Atheresthes stomias—see Flounder, arrowtooth

Atlantic pelagic longline fleet, 1996
- comparison of median net returns by
  - number of sets, 2:58
  - swordfish revenues, 2:59
  - trip type, 2:57
- estimated gross revenue, 1996, 2:52
- sample trips characteristics by
  - joint subgroups, 2:56–57
  - number of sets, 2:55
  - population, 2:53
  - quarter, 2:55
  - region, 2:55
  - subgroup, 2:54–56
  - vessel length, 2:54

Atlantic Tunas Convention Act, 2:49

Ayres, W. O.
- *Sebastes* taxonomy/systematics, 2:1–3

B

Bahnick, Melissa—see Grace et al.

Baraff, Lisa S., and Thomas R. Loughlin, "Trends and potential interactions between pinnipeds and fisheries of New England and the U.S. west coast," 4:1–39

Barracuda, great
- Biscayne National Park landings, 1:10–25

Bass, black sea
- Middle Atlantic Bight reef habitat, 2:24, 29

Becker, Paul R., Margaret M. Krahn, Elizabeth A. Mackey, Rabia Demiralp, Michele M. Schantz, Michael S. Epstein, Mary Kate Donais, Barbara J. Porter, Derek C. G. Muir, and Stephen A. Wise, "Concentrations of polychlorinated biphenyls (PCB's), Chlorinated pesticides, and heavy metals and other elements in tissues of belugas, *Delphinapterus leucas*, from Cook Inlet, Alaska," 3:81–98

"Beluga, *Delphinapterus leucas*, distribution and survey effort in the Gulf of Alaska," by Kristin L. Laidre, Kim E. W. Shelden, David J. Rugh, and Douglas P. DeMaster, 3:27–36

"Beluga, *Delphinapterus leucas*, group sizes in Cook Inlet, Alaska, based on observer counts and aerial video," by Roderick C. Hobbs, Janice M. Waite, and David J. Rugh, 3:46–59

"Beluga, *Delphinapterus leucas*, habitat associations in Cook Inlet, Alaska," by Sue E. Moore, Kim E. W. Shelden, Laura K. Litzky, Barbara A. Mahoney, and David J. Rugh, 3:60–80

Belugas, Cook Inlet, Alaska
- aerial distribution/abundance surveys, 3:6–21, 37–59
  - abundance estimates, 3:39–42
  - coastal surveys, 3:8
  - correction for missed groups, 3:39
  - counts, 3:10, 47
  - group sizes, 3:11–12
  - observer counts, 3:47
  - off-shore transects, 3:8
  - seasonal distribution change, 3:13–17
  - sighting locations, 3:10–11, 17, 20
  - study area, 3:7–8
  - protocol, 3:8, 37–38, 43
  - tides, 3:8
  - video, use of, 3:46–59
- at-sea distribution surveys, 3:22–26
  - area, 3:22
  - protocols, 3:23
  - results, 3:23–24
  - vessels used, 3:23
- calving and nursery areas, 3:138
- commercial whaling, 3:126–127
- contaminants tissue study, 3:81–98
- feeding behavior, 3:137, 139
- habitat associations
  - aircraft overflights, 3:75
  - bathymetry, 3:61–62, 63
  - currents, 3:3:64
  - earthquakes, 3:65
  - fires, 3:65
  - fishing, 3:72–73
  - human, 3:138
  - gas/oil activities, 3:73–74
  - ice cover, 3:65–68
  - predators, 3:69, 137
  - prey species/availability, 3:68–69, 70
  - salinity, 3:62, 64
  - strandings, 3:69–71
  - substrate, 3:62
  - temperature, 3:63
  - tides, 3:63–64
  - turbidity, 3:62
  - vessel traffic, 3:74–75
  - volcanoes, 3:64–65
  - water quality, 3:75–78
- harvest
  - legislation, 3:130–132
  - monitoring, 3:130–132
- historical sightings, 3:24–25
- natural history, 3:137–139
- sport hunting, 3:127–129
- subsistence
  - food, 3:82, 96, 129–130
  - hunting, 3:124–126, 129–130
- surfacing behavior, 3:99–111
- tagging
  - satellite tagging protocol, 3:112–123
  - suction-cup-attached VHF transmitters, 3:99–111
- traditional knowledge
  - abundance, 3:135–136
  - distribution, 3:135–136
  - migration, 3:136–137

vessel interaction behavior, 3:25
Belugas, Gulf of Alaska
aerial seasonal distribution/abundance surveys
1970's, 3:28–29
1980's, 3:30–31
1990's, 3:31–34
historical harvest information
commercial, 3:28
Native, 3:27–28
Platforms of Opportunity Program, 3:34
Biscayne National Park
recreational fisheries survey
annual mean landings rates, 1:20, 23
areas fished, 1:17
fishing party composition, 1:10
landings, 1:15, 19
length measurements, 1:17
releases, 1:16
spearfishing, 1:17
species preferences, 1:10–14
Bohnsack, James A.—see Harper et al.
Brevoortia tyrannus—see Menhaden, Atlantic
Broadhurst, M. K.—see Hazin et al.
Bycatch
Pacific halibut excluder study, 2:61

C

Calamus bajonado—see Porgy, jolthead
Callorhinus ursinus—see Seal, Northern fur
Caranx crysos—see Runner, blue
Carcharhinus falciformis—see Shark, silky
Carcharhinus limbatus—see Shark, blacktip
Carcharhinus obscurus—see Shark, dusky
Carcharhinus plumbeus—see Shark, sandbar
Catch
Atlantic menhaden, 1:1
Atlantic pelagic longline fleet, 2:52
California sea lions in Mexico, 1:35
longline in Brazil, 1:27
recreational in Biscayne National Park, 1:8
Centropristis striata—see Bass, black sea
Clupea pallasi—see Herring, Pacific
Clupea harengus—see Herring, Atlantic
Cod, Atlantic
distribution, 4:9
fishery, 4:9
management, 4:10
stock status, 4:10
"Concentrations of polychlorinated biphenyls (PCB's), Chlorinated pesticides, and heavy metals and other elements in tissues of belugas, *Delphinapterus leucas*, from Cook Inlet, Alaska," by Paul R. Becker, Margaret M. Krahn, Elizabeth A. Mackey, Rabia Demiralp, Michele M. Schantz, Michael S. Epstein, Mary Kate Donais, Barbara J. Porter, Derek C. G. Muir, and Stephen A. Wise, 3:81–98
"Cook Inlet belugas, *Delphinapterus leucas*: Status and overview," by Sue E. Moore and Douglas P. DeMaster, 3:1–5
Coryphaena hippurus—see Dolphin
Cunner
Middle Atlantic Bight reef habitat, 2:33, 35
Cuvier, G., 2:1
Cystophora cristata—see Seal, hooded

D–E–F

Delphinapterus leucas—see Belugas
DeMaster, Douglas P.—see Hobbs et al.; Laidre et al.; Moore and DeMaster
Demiralp, Rabia —see Becker et al.
"Development of beluga, *Delphinapterus leucas*, capture and satellite tagging protocol in Cook Inlet, Alaska," by Richard C. Ferrero, Sue E. Moore, and Roderick C. Hobbs, 3:112–123
"Distribution of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska, during June/July 1993–2000," by David J. Rugh, Kim E. W. Shelden, and Barbara A. Mahoney, 3:6–21
Dolphin
Biscayne National Park landings, 1:10–25
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Donais, Mary Kate —see Becker et al.
Economics
Atlantic menhaden roe, 1:4
longline technology in Brazil, 1:27
U.S. Atlantic pelagic longline vessels, 2:49
"Effectiveness of a rigid grate for excluding Pacific halibut, *Hippoglossus stenolepis*, from groundfish trawl catches," by Craig S. Rose and John R. Gauvin, 2:61–66
Engraulis mordax—see Anchovy, northern
Epinephelus morio—see Grouper, red
Epstein, Michael S.—see Becker et al.
Eumetopias jubatus—see Sea lion, Steller
Ferrero, Richard C., Sue E. Moore, and Roderick C. Hobbs, "Development of beluga, *Delphinapterus leucas*, capture and satellite tagging protocol in Cook Inlet, Alaska," 3:124–133
Fisheries history
belugas
harvests, 3:27–28, 124–125
California sea lion
exploitation in Mexico, 1:35
Linnaeus
Sebastes publications, 2:1
Sebastes
Cuvier, G., 2:1
taxonomy and systematics review, 2:1
Fisheries management
beluga whales, 3:1–140
commercial fisheries and pinnipeds interactions, 4:1–39
economics
U.S. Atlantic pelagic longline vessels, 2:49
Middle Atlantic Bight reefs, 2:24
Navassa Island, 2:43
Pacific halibut bycatch, 2:61
recreational creel survey, 1:8
Steller sea lion mortality, 4:40–45
Fisheries, commercial
Alaska groundfish trawl fisheries, 2:61
Atlantic menhaden, 1:1
whaling, 3:28, 126–127
California sea lions in Mexico, 1:35
longline technology in Brazil, 1:27
pinniped population interactions, 4:1–39
biological, 4:1, 2
operational, 4:1
U.S. Atlantic pelagic longline
economic analyses, 2:49
Fisheries, recreational
creel surveys, 1976–91
Biscayne National Park, Florida, 1:8
whale sport hunting, 3:127–129
Flounder, arrowtooth
halibut excluder study
results, 2:61
retention rates, 2:63–65

G–H

Gadus morhua—see Cod, Atlantic
Gauvin, John R.—see Rose and Gauvin
Gear
longline in Brazil, 1:27
Navassa Island survey, 2:45
trawl, rigid grate halibut excluder
design, 2:61–62
results, 2:63
study method, 2:62
Gill, T. N.
Sebastes taxonomy and systematics, 2:1–4
Glyptocephalus zachirus—see Sole, rex
Grace, Mark, Melissa Bahnick, and Lisa

Jones, "A preliminary study of the marine biota at Navassa Island, Caribbean Sea," 2:43–48
Grouper, red
Biscayne National Park landings, 1:10–25
Grunt, bluestriped
Biscayne National Park landings, 1:10–25
Grunt, white
Biscayne National Park landings, 1:10–25
Habitat
Cook Inlet, Alaska belugas, 3:60–80
Middle Atlantic Bight reefs, 2:24–42
Navassa Island, 2:43
Haemulon plumieri—see Grunt, white
Haemulon sciurus—see Grunt, bluestriped
Hake, silver
distribution, 4:10–11
fishery, 4:11
management, 4:12
stock status, 4:11–12
Halibut, Pacific
bycatch excluder study
design, 2:61
methods, 2:61–63
retention rates, 2:63–65
Halichoerus grypus—see Seal, gray
Harper, Douglas E., James A. Bohnsack, and Brian R. Lockwood, "Recreational fisheries in Biscayne National Park, Florida, 1976–1991," 1:8–26
"Harvest history of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska," by Barbara A. Mahoney and Kim E. W. Shelden, 3:124–133
Hazin, F. H. V., M. K. Broadhurst, and H. G. Hazin, "Preliminary analysis of the feasibility of transferring new longline technology to small artisanal vessels off northeastern Brazil," 1:27–34
Hazin, H. G.—see Hazin, F. H. V., et al.
Herring, Atlantic
distribution, 4:12
fishery, 4:12–13
management, 4:13–14
stock status, 4:13
Herring, Pacific
distribution, 4:27
fishery, 4:27–28
management, 4:29–30
stock status, 4:28–29
Hippoglossoides elassodon—see Sole, flathead
Hippoglossus stenolepis—see Halibut, Pacific
"Historic and current use of lower Cook Inlet, Alaska, by belugas, *Delphinapterus leucas*," by Suzann G. Speckman and John F. Piatt, 3:22–26
"Historical exploitation of the California sea lion, *Zalophus californianus*, in Mexico," by Alfredo Zavala-Gonzalez and Eric Mellink, 1:35–40
"An historical review of *Sebastes* taxonomy and systematics," by Arthur W. Kendall, Jr., 2:1–23
History—see Fisheries history
Hobbs, Roderick C., David J. Rugh, and Douglas P. DeMaster,"Abundance of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska, 1994–2000," 3:37–45
Hobbs, Roderick C., Janice M. Waite, and David J. Rugh,"Beluga, *Delphinapterus leucas*, group sizes in Cook Inlet, Alaska, based on observer counts and aerial video," 3:46–59
Hobbs, Roderick C.—see Ferrero et al.; Lerczak et al.
Hogfish
Biscayne National Park landings, 1:10–25
Homarus americanus—see Lobster, American
Hozukius, 2:1
Huntington, Henry P., "Traditional knowledge of the ecology of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska," 3:134–140

J–K–L

Jones, Lisa—see Grace et al.
Katsuwonus pelamis—see Tuna, skipjack
Kendall, Jr., Arthur W., "An historical review of *Sebastes* taxonomy and systematics," 2:1–23
Krahn, Margaret M.—see Becker et al.
Lachnolaimus maximus—see Hogfish
Laidre, Kristin L., Kim E. W. Shelden, David J. Rugh, and Douglas P. DeMaster, "Beluga, *Delphinapterus leucas*, distribution and survey effort in the Gulf of Alaska," 3:27–36
Larkin, Sherry L., Charles M. Adams, and Donna J. Lee, "Reported trip costs, gross revenues, and net returns for U.S. Atlantic pelagic longline vessels," 2:49–60
Lee, Donna J.—see Larkin et al.
Lerczak, James A., Kim E. W. Shelden, and Roderick C. Hobbs, "Application of suction-cup-attached VHF transmitters to the study of beluga, *Delphinapterus leucas*, surfacing behavior in Cook Inlet, Alaska," 3:99–111
Linnaeus
Sebastes publications, 2:1
Litzky, Laura K.—see Moore et al.
Lobster, American
Middle Atlantic Bight reef habitat, 2:24, 34
Lobster, Caribbean spiny
Biscayne National Park landings, 1:10–25
Lockwood, Brian R.—see Harper et al.
Loligo opalescens—see Squid, market
Longline fleet, Atlantic pelagic, 2:52–59
Loughlin, Thomas R.—see Baraff and Loughlin
Loughlin, Thomas R., and Anne E. York, "An accounting of the sources of Stellar sea lion, *Eumetopias jubatus*, mortality," 4:40–45
Lutjanus apalis—see Snapper, mutton
Lutjanus griseus— see Snapper, gray

M

Mackey, Elizabeth A.—see Becker et al.
Magnuson-Stevens Fishery Conservation and Management Act, 2:49
Mahoney, Barbara A.—see Moore et al.; Rugh et al.
Mahoney, Barbara A., and Kim E. W. Shelden, "Harvest history of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska," 3:124–133
Marine Mammal Tissue Archival Project, Alaska, 3:82
Matsubara, K.
Sebastes taxonomy and systematics, 2:1–3
Mellink, Eric—see Zavala-Gonzalez and Mellink
Menhaden, Atlantic
roe
biological characteristics, 1:2–3
disposition, 1:3–4
economics, 1:4
extraction techniques, 1:3–4
foreign market, 1:6
forerunner, 1:2
mammy shad, 1:3
season, 1:2
Merluccius bilinearis—see Hake, silver
Merluccius productus—see Whiting, Pacific
Microstomas pacificus—see Sole, Dover
Middle Atlantic Bight
reef habitats

artificial, 2:30
characteristics, 2:24, 25
coastal, 2:33–36
estuarine communities, 2:30–33
fishery resources, 2:28–30
fishery species list, 2:32
human threats, 2:38
man-made, 2:27–28, 29
management tools, 2:38–39
natural, 2:25–27, 29
non-biogenic, 2:31
obstructions, 2:29
research needs, 2:39–40
rocks, 2:27
shelf, 2:36–37
shipwrecks, 2:28
Mirounga angustirostris—see Seal, Northern elephant
Moore, Sue E., and Douglas P. DeMaster, "Cook Inlet belugas, *Delphinapterus leucas*: Status and overview," 3:1–5
Moore, Sue E., Kim E. W. Shelden, Laura K. Litzky, Barbara A. Mahoney, and David J. Rugh, "Beluga, *Delphinapterus leucas*, habitat associations in Cook Inlet, Alaska," 3:60–80
Moore, Sue E.—see Ferrero et al.
Mugil cephalus—see Mullet, striped
Muir, Derek C. G.—see Becker et al.
Mullet, striped
roe, 1:5
Mussel, blue
Middle Atlantic Bight reef habitat, 2:26, 30, 35
Mytilus edulis—see Mussel, blue

N–O

Navassa Island survey
benthic invertebrates, 2:48
bird observations, 2:46
fish, 2:47
marine plants, 2:48
history, 2:43
topography, 2:43
underwater video survey, 2:45
Ocyurus chrysurus—see Snapper, yellowtail
Oilfish
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Oyster reefs
Middle Atlantic Bight, 2:30

P

Pagophilus groenlandicus—see Seal, harp
Panulirus argus—see Lobster, Caribbean
spiny
Perca marina, 2:1
Perca norvegica, 2:1
Perca scriba, 2:1
Phoca vitulina concolor—see Seal, harbor (North Atlantic)
Phoca vitulina richardii—see Seal, harbor (Pacific)
Piatt, John F.—see Speckman and Piatt
Pinnipeds
commercial fisheries population impacts
New England, 4:3–14, 31–33
Pacific Coast, 4:14–31, 33–34
Platforms of Opportunity Program, 3:24
Pollock, Alaska
roe, 1:6
Pollution
Cook Inlet belugas
chlorinated pesticides, 3:81
habitat contaminants, 3:75–77
heavy metals, 3:81
military bases, 3:75
polychlorinated biphenyls, 3:81
potential effects, 3:77–78
sewage, 3:75
Middle Atlantic Bight
reef habitats, 2:38
Porgy, jolthead
Biscayne National Park landings, 1:10–25
Porter, Barbara J.—see Becker et al.
"Preliminary analysis of the feasibility of transferring new longline technology to small artisanal vessels off northeastern Brazil," by F. H. V. Hazin, M. K. Broadhurst, and H. G. Hazin, 1:27–34
"A preliminary study of the marine biota at Navassa Island, Caribbean Sea," by Mark Grace, Melissa Bahnick, and Lisa Jones, 2:43–48

R–S

"Recreational fisheries in Biscayne National Park, Florida, 1976–1991," by Douglas E. Harper, James A. Bohnsack, and Brian R. Lockwood, 1:8–26
"Reef habitats in the Middle Atlantic Bight: Abundance, distribution, associated biological communities, and fishery resource use," by Frank W. Steimle and Christine Zetlin, 2:24–42
"Reported trip costs, gross revenues, and net returns for U.S. Atlantic pelagic longline vessels," by Sherry L. Larkin, Charles M. Adams, and Donna J. Lee, 2:49–60
Rockfish—see *Sebastes*
Roe
Alaska pollock, 1:6
Atlantic menhaden, 1:1
biological characteristics, 1:2–3
disposition, 1:3–4
economics, 1:4
extraction techniques, 1:3–4
foreign market, 1:6
forerunner, 1:2
mammy shad, 1:3
season, 1:2
striped mullet, 1:5
Rose, Craig S., and John R. Gauvin, "Effectiveness of a rigid grate for excluding Pacific halibut, *Hippoglossus stenolepis*, from groundfish trawl catches," 2:61–66
Rugh, David J., Kim E. W. Shelden, and Barbara A. Mahoney, "Distribution of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska, during June/July 1993–2000," 3:6–21
Rugh, David J.—see Hobbs et al.; Laidre et al.; Moore et al.
Runner, blue
Biscayne National Park landings, 1:10–25
Ruvettus pretiosus—see Oilfish
Sardine, Pacific
distribution, 4:30
fishery, 4:30–31
management, 4:31
stock status, 4:31
Sardinops sagax—see Sardine, Pacific
Schantz, Michele M.—see Becker et al.
Sea lion, California
abundance, 4:15
commercial fishery-related mortality, 4:15–16
distribution, 4:14
food habits, 4:16
historical exploitation in Mexico
colonial, 1:35–36
independent, 1:36–38
modern hunts, 1:39–40
postrevolutionary, 1:38–39
prehispanic, 1:35
population trends, 4:15
prey, 4:16
Sea lion, Steller
abundance, 4:17
commercial fishery-related mortality, 4:2, 18
distribution, 4:16
food habits, 4:18
mortality sources, 4:40–45
population trends, 4:16–18

prey, 4:18
Seal, gray
abundance, 4:6–7
commercial fishery-related mortality, 4:8
distribution, 4:6–7
food habits, 4:8
population trends, 4:7–8
prey, 4:8
Seal, harbor (North Atlantic)
abundance, 4:4
commercial fishery-related mortality, 4:5
distribution, 4:4
food habits, 4:5
population trends, 4:4–5
prey, 4:5–6
Seal, harbor (Pacific)
abundance, 4:19, 20
commercial fishery-related mortality, 4:19, 20
distribution, 4:19, 20
food habits, 4:20–21
population trends, 4:19
prey, 4:21
Seal, harp, 4:3
population impact by commercial fisheries, 4:2
Seal, hooded, 4:3
Seal, Northern elephant, 4:14
Seal, Northern fur, 4:14
Sebastes historical review
ichthyological disagreements, 2:1, 3
original definitions
Hozukius, 2:17–19
Sebastes and subgenera, 2:17–19
Sebasticus, 2:17–19
subgenera proliferation, 2:1
taxonomy and systematics
1861–1898, 2:1
1863–1900, 2:1–4
challenges, 2:11–14
cladistic analysis, 2:13
early 1900's, 2:4–5
early life history, 2:13, 14
genetics, 2:8, 9, 10
morphological characteristics, 2:13
nomenclature chronology, 2:2
nomenclature summary, 2:20–23
present views, 2:11
relationships among species, 2:10
the 1970's, 2:5–8
the late 1900's, 2:8–10
Sebastes aleutianus, 2:1
Sebastes ciliatus, 2:1
Sebastes norvegicus, 2:1
Sebastes marinus, 2:1
Sebastes paucispinis, 2:1
Sebastichthys, 2:3
Sebastodes, 2:3
Sebastomus, 2:3
Sebastosomus, 2:3
Serranus scriba, 2:1
Shark, blacktip
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Shark, dusky
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Shark, hammerhead
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Shark, sandbar
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Shark, silky
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Shelden, Kim E. W.—see Mahoney and Shelden; Moore et al.; Lerczak et al.; Laidre et al.; Rugh et al.
Smith, Joseph W., and Dean W. Ahrenholz, "The ancillary harvest of Atlantic menhaden, *Brevoortia tyrannus*, roe on the North Carolina Coast," 1:1–7
Snapper, gray
Biscayne National Park landings, 1:10–25
Snapper, mutton
Biscayne National Park landings, 1:10–25
Snapper, yellowtail
Biscayne National Park landings, 1:10–25
Sole, Dover
halibut excluder study
results, 2:61
retention rates, 2:63–65
Sole, flathead
halibut excluder study
results, 2:61
retention rates, 2:63–65
Sole, rex
halibut excluder study
results, 2:61
retention rates, 2:63–65
Speckman, Suzann G., and John F. Piatt, "Historic and current use of lower Cook Inlet, Alaska, by belugas, *Delphinapterus leucas*," 3:22–26
Sphyraena barracuda—see Barracuda, great
Sphyrna lewini—see Shark, hammerheads
Sphyrna mokarran—see Shark, hammerheads
Sphyrna zygaena—see Shark, hammerheads
Squid, market
distribution, 4:23–24
fishery, 4:24
management, 4:25
stock status, 4:24–25
Steimle, Frank W., and Christine Zetlin, "Reef habitats in the Middle Atlantic Bight: Abundance, distribution, associated biological communities, and fishery resource use," 2:24–42
Surveys
beluga distribution/abundance in Cook Inlet
aerial observer, 3:6–21, 37–59
aerial video, 3:46–59
at-sea, 3:22–26
beluga satellite tagging protocol, 3:112–123
beluga surfacing behavior in Cook Inlet, 3:99–111
belugas in the Gulf of Alaska, 3:27–36
Biscayne National Park
recreational fisheries, 1:8
economic
U.S. Atlantic pelagic longline, 2:49
Navassa Island
underwater video, 2:43
Sustainable Fisheries Act, 2:49
Swordfish
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49

T–V

Tagging
Cook Inlet belugas
suction-cup-attached VHF transmitters, 3: 99–111
satellite tagging protocol, 3:112–123
Tautog
Middle Atlantic Bight reef habitat, 2:24, 33
Tautoga onitis—see Tautog
Tautogolabrus adspersus—see Cunner
Theragra chalcogramma—see Pollock, Alaska
Thunnus alalunga—see Tuna, albacore
Thunnus albacares—see Tuna, yellowfin
Thunnus atlanticus—see Tuna, blackfin
Thunnus obesus—see Tuna, bigeye
"Traditional knowledge of the ecology of belugas, *Delphinapterus leucas*, in Cook Inlet, Alaska," by Henry P. Huntington,

3:134–140
"Trends and potential interactions between pinnipeds and fisheries of New England and the U.S. west coast," by Lisa S. Baraff and Thomas R. Loughlin, 4:1–39
Tuna, albacore
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Tuna, bigeye
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Tuna, blackfin
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Tuna, skipjack
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49
Tuna, yellowfin
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
harvests, 2:49

V–W

Vessels
artisanal vs. leased longliners in Brazil, 1:27
beluga interactions in Cook Inlet, Alaska, 3:25, 74–75
NOAA Ship *Oregon* II, 2:46
U.S. Atlantic pelagic longline, 2:49
Wahoo
U.S. Atlantic pelagic longline fleet
estimated gross revenue, 1996, 2:52
Waite, Janice M.—see Hobbs et al.
Whiting, Atlantic —see Hake, silver
Whiting, Pacific
distribution, 4:21–22
fishery, 4:22
management, 4:22–23
stock status, 4:22
Wise, Stephen A.—see Becker et al.

X–Y–Z

Xiphias gladius—see Swordfish
York, Anne E.—see Loughlin and York
Zalophus californianus—see Sea lion, California
Zavala-Gonzalez, Alfredo, and Eric Mellink, "Historical exploitation of the California sea lion, *Zalophus californianus*, in Mexico," 1:35–40
Zetlin, Christine—see Steimle and Zetlin